




**Swim Alert**

**Sensor Premium**

**Sensor Domo**


**Perimetric Alarm**

**Safety turtle**





### Safety alarms



**Main working principle of the immersion detector:**

In case of immersion or fall in the swimming pool, the detection stations detect the wave generated under the water and activate their powerful alarm siren.

**Advantages of the detectors:**

- easy to use and to install
- swimming-pool surroundings respected
- conformity with the official French Standard NF P90-307

### Swim Alert

Swim Alert is an alarm designed for private pools.

It is an autonomous swimming pool alarm fixed on the poolside, which works with a 9V alkaline battery. It integrates 2 powerful alarm sirens.



**Main working principle**

In the case of a person falling or entering the swimming pool, Swim Alert analyses the underwater wave and activates its powerful alarm sirens.

- automatic reactivation after bathing
- magnetic keys for activation and inactivation
- failure and low battery signals

Reference	Description	Euro
3070000396	Swim Alert	610

### Sensor Premium - Solar

Sensor premium (NFP) is an autonomous immersion detector supplied with an alkaline battery. Fixed on the curbstone of the swimming pool, the siren is integrated.



Reference	Description	Euro
3070009965	Sensor Premium	610
3070009966	Sensor Solar	968

### Sensor Domo

Sensor Domo is an information remote device. Dedicated to the comfort of the user, it is an autonomous and movable case one can move among the house. As it integrates an alarm siren, it becomes the ideal complement of the Sensor Premium.



Reference	Description	Euro
3070009969	Sensor Domo	583



## Perimetric alarm

### **Primaprotect: the wireless and ultra efficient perimetric alarm**

The Primaprotect can be adapted to all shapes of swimming pools. Composed of a master pole with an integrated siren and from 1 to 5 slave poles depending on the configuration of the pool.

#### **Technical characteristics**

Height of the poles:	67 cm
Height of the zone of protection:	20 cm and 45 cm
Power supply of the pole:	3 V Battery pack
Power supply of the master pole:	9 V Battery pack
Audible alarm:	100 db at 1 m
Autonomy of the batteries:	1 to 2 years
Maximum distance between two poles:	20 m
Angle of alignments of the sensors:	125° horizontal and +/- 10° vertical
Maximum number of poles:	6
Warranty:	2 years

The main protection kit (protection of 4 sides of the swimming pool) is composed of:

- 1 master pole equipped with 4 infrared cells, 1 integrated siren and LEDs.
- 3 slave poles equipped with 4 infrared cells.

	Reference	Code	Description	Euro
1 + 2	3087000617	DSP80-F4	Main protection kit; composed of 1 master pole, 3 slave poles, 1 magnetic key for arming or disarming manually the alarm system.	1382
2	3087000618	DSP80-3X3	1 master pole equipped with 4 infrared cells, 1 integrated siren, LEDs and magnetic key.	485
3	3087000619	DSP80-3X2	1 slave pole equipped with 4 infrared cells.	358
4	3087000620	DSP20-3K	1 auxiliary wireless siren.	438

